

bella tile®

Small Esthetic Tile

Portofino Series

Color Born from Purity, Beauty Crafted by Hand.




Portofino Series

bella tile®

Color Born from Purity, Beauty Crafted by Hand.

Inspired by the timeless beauty of Portofino, this series features handcrafted ceramic tiles with a luminous high gloss crackle glaze. Rich shades of Capri Blue, Ivory White, Jade Green, Emerald Green, and Bordeaux Red capture Mediterranean elegance, bringing warmth, artisanal texture, and enduring sophistication to contemporary interiors.




CRACKLE GLAZE

Natural crackle texture brings depth and artistic character.



SUPER WHITE BODY

Provide a pure, bright foundation for vivid, lasting color.



HIGH TRANSPARENCY GLAZE

Enhance color clarity and delivers a deep, luminous finish.



HANDMADE GLAZE


Each tile is individually glazed by hand, making every piece unique.

Portofino Series

bella tile®

Piece Size: 100X100X9mm Surface: High Gloss Crackle Glaze


Material: Ceramic Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling




Capri Blue
MPB101061



Ivory White
MPB101062



Jade Green
MPB101063




Emerald Green
MPB101064



Bordeaux Red
MPB101065

High Gloss Crackle Glaze Tiles




1. Touch.
Gently bring two
tiles into contact.



2. Crackle
A gentle crackling
sound is heard.




3. Reveal
Ice-like crackle
patterns appear.



The more they meet,
the more beautiful
it becomes.

Note:

The appearance of the crackle pattern is a natural characteristic of the glaze and an intentional part of the design. It is not a product defect or quality issue.



Capri Blue
MPB101061

Piece Size: 100X100X9mm

Surface: High Gloss Crackle Glaze

Material: Ceramic

Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling



INDOOR



WALL



KITCHEN



BATHROOM



Ivory White
MPB101062

Piece Size: 100X100X9mm

Surface: High Gloss Crackle Glaze

Material: Ceramic

Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling



INDOOR




WALL



KITCHEN



BATHROOM



Jade Green
MPB101063

Piece Size: 100X100X9mm

Surface: High Gloss Crackle Glaze

Material: Ceramic

Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling



INDOOR




WALL



KITCHEN



BATHROOM



Emerald Green
MPB101064

Piece Size: 100X100X9mm

Surface: High Gloss Crackle Glaze

Material: Ceramic

Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling



INDOOR



WALL



KITCHEN



BATHROOM



Piece Size: 100X100X9mm

Surface: High Gloss Crackle Glaze

Material: Ceramic

Packaging: 0.92Sqm/Box, 20Kg/Sqm, Per Box Selling



INDOOR



WALL



KITCHEN



BATHROOM

Bordeaux Red
MPB101065

Test Report*

No.	Properties	Test Method	Requirements	Results	Verdicts
1	Surface quality	ISO 10545-2: 2018	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	100%	P
2	Water absorption Percent mass fraction	ISO 10545-3: 2018	$E_v > 10\%$ Individual minimum 9%	$E_b: 14.35\%$ Individual minimum: 13.37%	P
3	Breaking strength(N)	ISO 10545-4: 2019	Not less than 600	Average : 802	P
4	Modulus of rupture(N/mm ²) Not applicable to tiles with breaking strength $\geq 3000\text{N}$	ISO 10545-4: 2019	Minimum 12	Average: 15.9	P
				Individual minimum: 15.2	P
5	Abrasion resistance Resistance to surface abrasion of glazed tiles intended for use on floors	ISO 10545-7: 1996	Report abrasion class and cycles passed	Class: 4 Cycles passed: 600	—
6	Crazing resistance: glazed tiles	ISO 10545-11: 1994	Required	Not crazing	P
7	Resistance to staining				
	a) Green staining agent in light oil	ISO 10545-14: 1994	Minimum Class 3	Class 5	P
	b) Red staining agent in light oil	ISO 10545-14: 1994	Minimum Class 3	—	NA
	c) Iodine, 13g/L solution in alcohol	ISO 10545-14: 1994	Minimum Class 3	Class 5	P
	d) Olive oil	ISO 10545-14: 1994	Minimum Class 3	Class 5	P
8	Resistance to household chemicals and swimming pool salts				
	a) Household chemicals: Ammoniumchloride, 100g/L	ISO 10545-13: 2016	Minimum B	A	P
	b) Swimming pool salts: Sodium hypochlorite solution, 20mg/L	ISO 10545-13: 2016	Minimum B	A	P
9	Resistance to low concentrations of acids and alkalis				
	a) Hydrochloric acid solution, 3%(v/v)	ISO 10545-13: 2016	Manufacturer to state classification	LA	P
	b) Citric acid solution, 100g/L	ISO 10545-13: 2016	Manufacturer to state classification	LA	P
	c) Potassium hydroxide, 30g/L	ISO 10545-13: 2016	Manufacturer to state classification	LA	P

*THIS TEST REPORT APPLIES TO THE FOLLOWING SERIES OF PRODUCTS: MPB101061, MPB101062, MPB101063, MPB101064, MPB101065.

bella tile®