

SWIMMING POOL TILES

REGAL EUROPE SERIES



Where Classic Elegance Meets Crystal Water.



REGAL EUROPE SERIES

Where Classic Elegance Meets Crystal Water.

Regal Europe Series is a tribute to classic European grandeur—where heritage design meets modern refinement. Each tile carries a composed interplay of pearly light, cool stone tones, and royal blues, echoing marble halls, coastal terraces, and gilded details. Subtle shimmer and layered color create depth beneath the water, while sunlight and ripples bring a poised, luminous glow—elegant, confident, and timeless.



REGAL EUROPE SERIES



INDOOR



OUTDOOR



WALL



FLOOR



POOL




KITCHEN




BATHROOM




Chip Size: 25x25x4mm Sheet Size: 300x300x4mm Surface: Glossy
Material: Recycled Glass Packaging: 22Pcs/Box, 2Sqm/Box, 8Kg/Sqm




MGS632501



MGS632502



MGS632503



MGS632504



MGS632505



MGS632506

REGAL EUROPE SERIES



INDOOR



OUTDOOR



WALL



FLOOR




POOL



KITCHEN




BATHROOM




Chip Size: 25x25x4mm Sheet Size: 300x300x4mm Surface: Glossy
Material: Recycled Glass Packaging: 22Pcs/Box, 2Sqm/Box, 8Kg/Sqm



MGS632508




MGS632509




MGS632524



MGS632529



MGS632530



MGS632531

REGAL EUROPE SERIES



INDOOR



OUTDOOR



WALL



FLOOR




POOL




KITCHEN




BATHROOM




Chip Size: 25x25x4mm Sheet Size: 300x300x4mm Surface: Glossy
Material: Iridescent Recycled Glass Packaging: 22Pcs/Box, 2Sqm/Box, 8Kg/Sqm



MGS630223



MGS622563




MGS622564



MGS622565



MGS622566



MGS622568

Test Report*

No.	Test Items	Unit	Technical Requirements	Test Results	Verict
1	Examination of surface defects (Back face)	-----	It should not exceed 0.3% of the surface in any part of edges and corners	Conformed	Pass
2	Examination of surface defects (Front face)	-----	Total surface area of stains should not exceed 0.05% of the surface	Conformed	Pass
3	Designation of Bending Resistance	R(N/mm ²)	Min. in average: 15 N/mm ²	Average 54.8 N/mm ²	Pass
4	Resistance to thermal shock	-----	No burst or crack appears after the test	Conformed	Pass
5	Frost resistance	-----	No crack or peeling after the frost test	Conformed	Pass
6	Crazing resistance	-----	No crazing or peeling on the glazed surface after the crazing test.	Conformed	Pass
7	Resistance to household chemicals & swimming pool salts	-----	Minimum GB	Class GA	Pass
8	Color difference	-----	All the mosaic should be the same color basically	Conformed	Pass
9	Bond between mosaic and mounted tile underlay	-----	No falling off	Conformed	Pass
10	Exposure of mounted tile underlay	-----	The mounted tile underlay should not be exposed	Conformed	Pass
11	Resistance to staining	-----	Mininum class 3	Class 5	Pass

*THIS TEST REPORT APPLIES TO THE FOLLOWING SERIES OF PRODUCTS: MGS632501, MGS632502, MGS632503, MGS632504, MGS632505, MGS632506, MGS632508, MGS632509, MGS632524, MGS632529, MGS632530, MGS632531, MGS630223, MGS622563, MGS622564, MGS622565, MGS622566, MGS6225668.

ROMAN[®]
M O S A I C O