


SWIMMING POOL TILES


Sukabumi Porcelain Tiles Series




Sukabumi Porcelain Tiles Series




TCTG66106



TCTG66165



TCTG66113



TCTG66117

WHERE LUXURY MEETS INNOVATION ——— DISCOVER THE ROMAN SUKABUMI PORCELAIN COLLECTION

Inspired by the tranquil beauty of natural Indonesian Sukabumi stone. Each series reimagines the harmony between nature, water, and light, offering refined elegance with modern performance. Crafted with less than 0.5% water absorption, Sukabumi Porcelain is highly durable, slip-resistant, and low-maintenance, making it the perfect choice for swimming pools, spas, and outdoor landscapes.


It captures the essence of natural stone while offering the lasting strength and consistency of porcelain. Our collection features four inspired designs — each reflecting a unique mood of nature:

Favored by architects and designers seeking both luxury and practicality, Sukabumi Porcelain offers wide range of size and design to achieve a seamless, bespoke aesthetic.



Sukabumi Porcelain — where natural inspiration meets timeless design.

Sukabumi Porcelain Tiles Series


Discover the Verdant Oasis Collection — inspired by natural Sukabumi stone. Its tranquil green tones bring the calm of nature to pools, creating a spa-like retreat. Elegant and durable, it transforms every space into a serene haven of balance and relaxation.



ONE COLOR OR A BLEND OF FOUR
— DESIGN YOUR POOL, YOUR WAY !




TCTG10306



TCTG10307



TCTG10308



TCTG10309


Sukabumi Porcelain Tiles Series



Size: 600x600x9mm

Material: Porcelain

Package: 1.44 Sqm/Box, 4 Pcs/Box, 22 Kg/Sqm



TCTG66106



TCTG66107




TCTG66108




TCTG66109

Sukabumi Porcelain Tiles Series

Size: 100x300x9mm Material: Porcelain Package: 1.44 Sqm/Box, 48 Pcs/Box, 20 Kg/Sqm




TCTG10306



TCTG10307




TCTG10308




TCTG10309


Size: 150x150x9mm Material: Porcelain Package: 0.81 Sqm/Box, 36 Pcs/Box, 16 Kg/Sqm




TCTG15156



TCTG15157




TCTG15158





TCTG15159

Sukabumi Porcelain Tiles Series


Discover the Blue Horizon Collection — inspired by the calm beauty of ocean blue. These tiles reflect open waters and endless skies, bringing freshness and tranquility to pools. Elegant and




ONE COLOR OR A BLEND OF FOUR
— DESIGN YOUR POOL, YOUR WAY!




TCTG10305



TCTG10304



TCTG10303



TCTG10302

Sukabumi Porcelain Tiles Series



Size: 600x600x9mm

Material: Porcelain


Package: 1.44 Sqm/Box, 4 Pcs/Box, 22 Kg/Sqm




TCTG66162



TCTG66163




TCTG66164




TCTG66165

Sukabumi Porcelain Tiles Series


Size: 100x300x9mm Material: Porcelain Package: 1.44 Sqm/Box, 48 Pcs/Box, 20 Kg/Sqm




TCTG10302



TCTG10303




TCTG10304




TCTG10305


Size: 150x150x9mm Material: Porcelain Package: 0.81 Sqm/Box, 36 Pcs/Box, 16 Kg/Sqm




TCTG15152



TCTG15153




TCTG15154





TCTG15155

Sukabumi Porcelain Tiles Series

Discover the Sunlit Sand Collection — inspired by sunlit beaches and beige Sukabumi stone. Its warm golden tones bring natural elegance and calm to pools, blending light and water beautifully. Durable and timeless, it turns every pool into a serene retreat.



ONE COLOR OR A BLEND OF FOUR
— DESIGN YOUR POOL, YOUR WAY!



TCTG103013

TCTG103012

TCTG103011

TCTG103010

Sukabumi Porcelain Tiles Series



Size: 600x600x9mm

Material: Porcelain

Package: 1.44 Sqm/Box, 4 Pcs/Box, 22 Kg/Sqm




TCTG66110



TCTG66111




TCTG66112



TCTG66113

Sukabumi Porcelain Tiles Series

Size: 100x300x9mm Material: Porcelain Package: 1.44 Sqm/Box, 48 Pcs/Box, 20 Kg/Sqm



TCTG103010

TCTG103011

TCTG103012

TCTG103013

Size: 150x150x9mm Material: Porcelain Package: 0.81 Sqm/Box, 36 Pcs/Box, 16 Kg/Sqm




TCTG151510



TCTG151511




TCTG151512




TCTG151513

Sukabumi Porcelain Tiles Series

Discover the Lunar Veil Collection—inspired by moonlight over calm waters. These grey Sukabumi tiles reflect soft twilight tones, blending light and shadow with quiet elegance. Durable and refined, they transform pools into serene, poetic spaces of timeless beauty.



ONE COLOR OR A BLEND OF FOUR
— DESIGN YOUR POOL, YOUR WAY!



TCTG103017



TCTG103016



TCTG103015



TCTG103014

Sukabumi Porcelain Tiles Series



Size: 600x600x9mm

Material: Porcelain

Package: 1.44 Sqm/Box, 4 Pcs/Box, 22 Kg/Sqm



TCTG66114



TCTG66115



TCTG66116



TCTG66117

Sukabumi Porcelain Tiles Series

Size: 100x300x9mm Material: Porcelain Package: 1.44 Sqm/Box, 48 Pcs/Box, 20 Kg/Sqm



TCTG103014

TCTG103015

TCTG103016

TCTG103017

Size: 150x150x9mm Material: Porcelain Package: 0.81 Sqm/Box, 36 Pcs/Box, 16 Kg/Sqm




TCTG151514



TCTG151515



TCTG151516



TCTG151517

Clause	Properties	Test Method	Requirements	Results	Verdicts
Annex G Table G.1	Dimensions and surface quality				
	Length and width The deviation, of the average size for each tile from the work size	MS ISO 10545-2:2002	±0.3%	-0.02%~0	P
			±1.0mm	-0.1mm~0	P
	Thickness The deviation of the average thickness of each tile from the work size thickness	MS ISO 10545-2:2002	±5%	-0.4%~+1.0%	P
			±0.5mm	0~+0.1mm	P
	Straightness of sides Themaximumdeviationfromstraightnessrelated to the corresponding work sizes	MS ISO 10545-2:2002	±0.3%	-0.01%~+0.02%	P
			±0.8mm	-0.1mm~+0.1mm	P
	Rectangularity The maximum deviation from Rectangularity related to the corresponding work sizes	MS ISO 10545-2:2002	±0.3%	-0.02%~+0.05%	P
			±1.5mm	-0.1mm~+0.3mm	P
	Surface flatness: The maximum deviation from flatness				
	a)centre curvature,related to diagonal calculat- ed from the work size;	MS ISO 10545-2:2002	±0.4%	+0.08%~+0.09%	P
			±1.8mm	+0.7mm~+0.8mm	P
	b)edge curvature,related to the corresponding work sizes;	MS ISO 10545-2:2002	±0.4%	+0.03%~+0.05%	P
			±1.8mm	+0.2mm~+0.3mm	P
	c)warpage,related to diagonal calculated from the work size.	MS ISO 10545-2:2002	±0.4%	-0.02%~+0.05%	P
			±1.8mm	-0.2mm~+0.4mm	P
	Surface quality	MS ISO 10545-2:2002	A minimum of 95%of the tiles shall be free from visible defects inspected vertically at 1.0m.	100%	P
	Physical properties				
	Water absorption Percent mass fraction	MS ISO 10545-3:2001	E.≤0.5%	0.19%	P
			Individual maximum 0.6%	-0.15%~0.22%	P
Annex G Table G.1	Breaking strength,in N	MS ISO 10545-4:2003	≥1300	1943	P
	Modulus of rupture,in N/mm² Not applicable to tiles with breaking strength≥ 3000N	MS ISO 10545-4:2003	Minimum 35	41.9	P
			Individual minimum 32	40.5 ~43.8	P
	Abrasion resistance	MS ISO 10545-7:2001	Report abrasion class	Class 3	—
			Report cycles passed	750	—
	Crazing resistance:glazed tiles	MS ISO 10545-11:2001	Required	Fully resistance	P
	Chemical properties				
	Resistance to chemicals				
	Resistance to household chemicals and swimming pool salts				
	a)Household chemicals:Ammonium chloride, 100g/L	MS ISO 10545-13:2018	Minimum B	A	P
	b)Swimming pool salts:Sodium hypochlorite solution,20mg/L	MS ISO 10545-13:2018	Minimum B	A	P
	Resistance to low concentrations of acids and alkalis				
	a)Hydrochloric acid solution,3%(v/v)	MS ISO 10545-13:2018	Manufacturer to state classification	LA	—
	b)Citric acid solution,100g/L	MS ISO 10545-13:2018	Manufacturer to state classification	LA	—
	c)Potassium hydroxide,30g/L	MS ISO 10545-13:2018	Manufacturer to state classification	LA	—
	Resistance to high concentrations of acids and alkalis				
	a)Hydrochloric acid solution,18%(v/v)	MS ISO 10545-13:2018	Test method available	HA	—
	c)Potassium hydroxide,100g/L	MS ISO 10545-13:2018	Test method available	HA	—
	Resistance to staining				
	a)Green staining agent in light oil	MS ISO 10545-14:2018	Minimum Class 3	Class 5	P
	b)Red staining agent in light oil	MS ISO 10545-14:2018	Minimum Class 3	Class 5	P
	c)Iodine,13g/L solution in alcohol	MS ISO 10545-14:2018	Minimum Class 3	Class 5	P
	d)Olive oil	MS ISO 10545-14:2018	Minimum Class 3	Class 5	P

ROMAN[®]
M O S A I C O