


SWIMMING POOL TILES

CARRARA LUMINA SERIES


Tranquility in Every Detail, Beauty That Endures.



CARRARA LUMINA SERIES

Tranquility in Every Detail, Beauty That Endures.

Carrara Lumina Series captures the luminous grace of classic marble infused with gentle light. Soft ivory tones and delicate veining create a refined glow, adding depth and purity to every surface. With its timeless elegance and subtle radiance, the series transforms spaces into serene, light-filled sanctuaries.



CARRARA LUMINA SERIES




Material : Porcelain Surface : Semi-matte

Sheet Size : 305X305X6mm
Chip Size : 48X48X6mm
Packing : 22Pcs/Box, 2Sqm/Box
Weight : 11Kg/Sqm



MCS660601

Sheet Size : 305X305X6mm
Chip Size : 75X75X6mm
Packing : 22Pcs/Box, 2Sqm/Box
Weight : 12Kg/Sqm



MCS660602

Sheet Size: 280X320X6mm
Chip Size: 50X50x6mm
Packing: 22Pcs/Box, 1.97Sqm/Box
Weight: 12Kg/Sqm



MCS660771

Sheet Size : 300X300X6mm
Chip Size : 95X95X6mm
Packing : 22Pcs/Box, 2Sqm/Box
Weight : 12Kg/Sqm



MCS660773

Sheet Size : 275X315X6mm
Chip Size : 20X70X6mm
Packing : 22Pcs/Box, 1.91Sqm/Box
Weight : 12Kg/Sqm



MCS660774

Sheet Size : 255X295X6mm
Chip Size : 95X95X6mm
Packing : 13Pcs/Box, 1Sqm/Box
Weight : 12Kg/Sqm




MCS660801

CARRARA LUMINA SERIES




Material : Porcelain Surface : Semi-matte/Glossy

Sheet Size : 255X295X7mm
Chip Size : 95X95X7mm
Packing : 13Pcs/Box, 1Sqm/Box
Weight : 13Kg/Sqm




MCS660821
Semi-matte

Sheet Size : 280X320X6mm
Chip Size : 50X50X6mm
Packing : 24Pcs/Box, 2.15Sqm/Box
Weight : 12Kg/Sqm




MCS660582
Glossy

Sheet Size : 280X320X6mm
Chip Size : 48X48X6mm
Packing : 11Pcs/Box, 1Sqm/Box
Weight : 12Kg/Sqm




MCS660571
Semi-matte

Sheet Size : 280X320X6mm
Chip Size : 50X50X6mm
Packing : 24Pcs/Box, 2.15Sqm/Box
Weight : 12Kg/Sqm



MCS660591
Semi-matte

Sheet Size : 280X320X6mm
Chip Size : 50X50X6mm
Packing : 24Pcs/Box, 2.15Sqm/Box
Weight : 12Kg/Sqm



MCS660592
Glossy

CARRARA LUMINA SERIES



Material : Porcelain Surface : Semi-matte

Sheet Siz : 296X300X8mm
Chip Size : 22X145X8mm
Packing : 11Pcs/Box, 0,98Sqm/Box
Weight : 14Kg/Sqm



MCS660501

Sheet Size : 296X300X6.8mm
Chip Size : 22X145X8mm
Packing : 11Pcs/Box, 0,98Sqm/Box
Weight : 13Kg/Sqm




MCS660502

Sheet Size : 250X285X7mm
Chip Size : 50X200X7mm
Packing : 12Pcs/Box, 0,85Sqm/Box
Weight : 17Kg/Sqm



MCS660503

Sheet Size : 200X317X6mm
Chip Size : 50X200X6mm
Packing : 16Pcs/Box, 1Sqm/Box
Weight : 15Kg/Sqm



MCS660504

Sheet Size : 250X285X6mm
Chip Size : 85X95X6mm
Packing : 14Pcs/Box, 1Sqm/Box
Weight : 14Kg/Sqm




MCS660505

Sheet Size : 265X310X6mm
Chip Size : 48X80X6mm
Packing : 12Pcs/Box, 1Sqm/Box
Weight : 17Kg/Sqm



MCS660509

CARRARA LUMINA SERIES



Material : Porcelain Surface : Semi-matte/Glossy

Sheet Size : 300X300X6mm
Chip Size : 97x97x6mm
Packing : 11Pcs/Box, 1Sqm/Box
Weight : 13Kg/Sqm



MCS660510
Semi-matte

Sheet Size : 285X300X7mm
Chip Size : 50X200X7mm
Packing : 12Pcs/Box, 1Sqm/Box
Weight : 17Kg/Sqm



MCS660523
Semi-matte

Sheet Size : 230X285X7mm
Chip Size : 25X100X7mm
Packing : 15Pcs/Box, 1Sqm/Box
Weight : 13Kg/Sqm



MCS660528
Semi-matte

Sheet Size : 300X300X6mm
Chip Size : 97X97X6mm
Packing : 11Pcs/Box, 1Sqm/Box
Weight : 13Kg/Sqm



MCS660530
Semi-matte

Sheet Size : 296X300X7,5mm
Chip Size : 22X145X7,5mm
Packing : 11Pcs/Box, 1Sqm/Box
Weight : 14Kg/Sqm



MPK21470
Glossy

Test Report*

No.	Test Items	Unit	Technical Requirements	Test Results	Verict
1	Surface quality (Premium Grade)	-----	It should meet the requirement of the standards in Table 3 of clause 5.2	Conformed	Pass
2	Water absorption	%	Average value $E \leq 0.5$ Individual maximum 0.6	0.07	Pass
3	Resistance to thermal shock	-----	No burst or crack appears after the test	Conformed	Pass
4	Breaking strength	N	When the thickness < 7.5 mm, the average breaking strength shall not be less than 700	1086	Pass
5	Frost resistance	-----	No crack or peeling after the frost test	Conformed	Pass
6	Crazing resistance	-----	No crazing or peeling on the glazed surface after the crazing test.	Conformed	Pass
7	Resistance to household chemicals & swimming pool salts	-----	Minimum GB	Class GA	Pass
8	Color difference	-----	All the mosaic should be the same color basically	Conformed	Pass
9	Bond between mosaic and mounted tile underlay	-----	No falling off	Conformed	Pass
10	Exposure of mounted tile underlay	-----	The mounted tile underlay should not be exposed	Conformed	Pass
11	Modulus of rupture	MPa	Average minimum 35 Individual minimum 32	42 39~46	Pass
12	Resistance to staining	-----	Mininum class 3	Class 5	Pass
13	Resistance to household chemicals & swimming pool salts	-----	Minimum B	Class A	Pass

*THIS TEST REPORT APPLIES TO THE FOLLOWING SERIES OF PRODUCTS: MCS660601, MCS660602, MCS660771, MCS660773, MCS660774, MCS660801, MCS660821, MCS660582, MCS660571, MCS660591, MCS660592, MCS660501, MCS660502, MCS660503, MCS660504, MCS660505, MCS660509, MCS660510, MCS660523, MCS660528, MCS660503, MPK21470

ROMAN[®]
M O S A I C O